




SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE



INLET – AUTOWELD RUN;
OUTLET – HOSE BARB;



INLET – TC RUN;
OUTLET – TC;

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE (Ø 0.187" INLET BORE SIZE)

	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
1/4" HB OUTLET	0.5"	SRGBN2A*	0.79"	3.85"	1.85"
	0.75"	SRGFN2A	0.91"	4.00"	1.85"
	1.0"	SRGLN2A	1.04"	4.10"	1.85"
	1.5"	SRGSN2A	1.29"	5.30"	1.85"
	2.0"	SRGZN2A	1.55"	7.00"	1.85"
	2.5"	SRHJN2A	1.79"	7.00"	1.85"
	3.0"	SRJDN2A	2.05"	9.00"	1.85"
	4.0"	SRJTN2A	2.53"	11.00"	1.85"

	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
1/4" HB OUTLET	0.5"	SRGBR2A	0.79"	3.10"	1.85"
	0.75"	SRGFR2A	0.91"	3.25"	1.85"
	1.0"	SRGLR2A	1.04"	3.35"	1.85"
	1.5"	SRGSR2A	1.29"	3.25"	1.85"
	2.0"	SRGZR2A	1.55"	3.25"	1.85"
	2.5"	SRHJR2A	1.79"	3.25"	1.85"
	3.0"	SRJDR2A	2.05"	3.25"	1.85"
	4.0"	SRJTR2A	2.53"	3.25"	1.85"


	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
3/8" TC OUTLET	0.5"	SRGCQ2A	0.73"	3.85"	2.75"
	0.75"	SRGGQ2A	0.86"	4.00"	2.75"
	1.0"	SRGMQ2A	0.98"	4.10"	2.75"
	1.5"	SRGTQ2A	1.23"	5.30"	2.75"
	2.0"	SRHAQ2A	1.50"	7.00"	2.75"
	2.5"	SRHKQ2A	1.74"	7.00"	2.75"
	3.0"	SRJEQ2A	2.00"	9.00"	2.75"
	4.0"	SRJUQ2A	2.48"	11.00"	2.75"

	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
3/8" TC OUTLET	0.5"	SRGCT2A	0.73"	3.10"	2.75"
	0.75"	SRGGT2A	0.86"	3.25"	2.75"
	1.0"	SRGMT2A	0.98"	3.35"	2.75"
	1.5"	SRGTT2A	1.23"	3.25"	2.75"
	2.0"	SRHAT2A	1.50"	3.25"	2.75"
	2.5"	SRHKT2A	1.74"	3.25"	2.75"
	3.0"	SRJET2A	2.00"	3.25"	2.75"
	4.0"	SRJUT2A	2.48"	3.25"	2.75"

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE CONFIGURATION

EXAMPLE: PART# **SRGBN2A*** – 1/4" HB **OUTLET** X 0.5" AUTOWELD RUN **INLET** ZERO STATIC TEE ANGLE BLEED VALVE

S R G B N 2 A _ _ _ _ _



NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET		KIT
TEFLON® TIP	TEFLON® TIP	— EPDM O-RING	SR0003M	— SET	SR0003M — KIT
	TEFLON® TIP	— VITON® O-RING	SR0003N	— SET	SR0003N — KIT
	TEFLON® TIP	— RED SIL. O-RING	SR0003P	— SET	SR0003P — KIT
	TEFLON® TIP	— CLR. SIL. O-RING	SR0003Q	— SET	SR0003Q — KIT
	TEFLON® TIP	— KALTRAZ® O-RING	SR0003K	— SET	SR0003K — KIT
ELASTOMER TIP	EPDM TIP	— EPDM O-RING	SR000ZM	— SET	SR000ZM — KIT
	VITON® TIP	— VITON® O-RING	SR000ZN	— SET	SR000ZN — KIT
	RED SIL. TIP	— RED SIL. O-RING	SR000ZP	— SET	SR000ZP — KIT
	CLR SIL. TIP	— CLR. SIL. O-RING	SR000ZQ	— SET	SR000ZQ — KIT
	KALTRAZ® TIP	— KALTRAZ® O-RING	SR000ZK	— SET	SR000ZK — KIT

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

LOCK SCREWS	
PART#	6B000HA

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009



NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE HANDLE



INLET – AUTOWELDED RUN;
OUTLET – HOSE BARB;



INLET – TC RUN;
OUTLET – TC;

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE HANDLE (Ø 0.187" INLET BORE SIZE)

	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
1/4" HB OUTLET	0.5"	TRGBN2A*	0.79"	3.85"	1.85"
	0.75"	TRGFN2A	0.91"	4.00"	1.85"
	1.0"	TRGLN2A	1.04"	4.10"	1.85"
	1.5"	TRGSN2A	1.29"	5.30"	1.85"
	2.0"	TRGZN2A	1.55"	7.00"	1.85"
	2.5"	TRHJN2A	1.79"	7.00"	1.85"
	3.0"	TRJDN2A	2.05"	9.00"	1.85"
	4.0"	TRJTN2A	2.53"	11.00"	1.85"

	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
1/4" HB OUTLET	0.5"	TRGBR2A	0.79"	3.10"	1.85"
	0.75"	TRGFR2A	0.91"	3.25"	1.85"
	1.0"	TRGLR2A	1.04"	3.35"	1.85"
	1.5"	TRGTR2A	1.29"	3.25"	1.85"
	2.0"	TRGZR2A	1.55"	3.25"	1.85"
	2.5"	TRHJR2A	1.79"	3.25"	1.85"
	3.0"	TRJDR2A	2.05"	3.25"	1.85"
	4.0"	TRJTR2A	2.53"	3.25"	1.85"

	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
3/8" TC OUTLET	0.5"	TRGCQ2A	0.73"	3.85"	2.75"
	0.75"	TRGGQ2A	0.86"	4.00"	2.75"
	1.0"	TRGMQ2A	0.98"	4.10"	2.75"
	1.5"	TRGTQ2A	1.23"	5.30"	2.75"
	2.0"	TRHAQ2A	1.50"	7.00"	2.75"
	2.5"	TRHKQ2A	1.74"	7.00"	2.75"
	3.0"	TRJEQ2A	2.00"	9.00"	2.75"
	4.0"	TRJUQ2A	2.48"	11.00"	2.75"

	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
3/8" TC OUTLET	0.5"	TRGCT2A	0.73"	3.10"	2.75"
	0.75"	TRGGT2A	0.86"	3.25"	2.75"
	1.0"	TRGMT2A	0.98"	3.35"	2.75"
	1.5"	TRGTT2A	1.23"	3.25"	2.75"
	2.0"	TRHAT2A	1.50"	3.25"	2.75"
	2.5"	TRHKT2A	1.74"	3.25"	2.75"
	3.0"	TRJET2A	2.00"	3.25"	2.75"
	4.0"	TRJUT2A	2.48"	3.25"	2.75"

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES - TOGGLE HANDLE CONFIGURATION

EXAMPLE: PART# **TRGBN2A*** - 1/4" HB **OUTLET** X 0.5" AUTOWELD RUN **INLET** ZERO STATIC TEE ANGLE BLEED VALVE

T R G B N 2 A _ _ _ _ _

HANDLE
6 = SOLID
8 = SNAP
9 = SUBMERSIBLE
T = TOGGLE
S = TOGGLE SAFETY

FINISH
LB = 20 RA EP
DB = 20 RA
MB = 15 RA EP
EB = 15 RA

SEAL
M = EPDM
N = VITON®
P = RED SIL
Q = CLR. SIL.
K = KALTRAZ®

ORIENTATION
0 = N/A
C = TO CLAMP
H = TO HANDLE

TIP
H = PTFE-TFM
T = ELASTOMER

HANDLE COLOR
R = RED
Z = ORANGE
Y = YELLOW
G = GREEN
B = BLUE
W = WHITE
0 = BLACK

NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET		KIT
TEFLON® TIP	TEFLON® TIP	— EPDM O-RING	TR0003M	— SET	TR0003M — KIT
	TEFLON® TIP	— VITON® O-RING	TR0003N	— SET	TR0003N — KIT
	TEFLON® TIP	— RED SIL. O-RING	TR0003P	— SET	TR0003P — KIT
	TEFLON® TIP	— CLR. SIL. O-RING	TR0003Q	— SET	TR0003Q — KIT
	TEFLON® TIP	— KALTRAZ® O-RING	TR0003K	— SET	TR0003K — KIT
ELASTOMER TIP	EPDM TIP	— EPDM O-RING	TR0002M	— SET	TR0002M — KIT
	VITON® TIP	— VITON® O-RING	TR0002N	— SET	TR0002N — KIT
	RED SIL. TIP	— RED SIL. O-RING	TR0002P	— SET	TR0002P — KIT
	CLR SIL. TIP	— CLR. SIL. O-RING	TR0002Q	— SET	TR0002Q — KIT
	KALTRAZ® TIP	— KALTRAZ® O-RING	TR0002K	— SET	TR0002K — KIT

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

LOCK SCREWS	
PART#	6B000HA

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009



NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – SUBMERSIBLE HANDLE



INLET – TC RUN;
OUTLET – HOSE BARB;



INLET – TC RUN;
OUTLET – TC;

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – SUBMERSIBLE HANDLE (Ø 0.187" INLET BORE SIZE)						
	TC RUN	PART #	"A" DIM	"B" DIM	"C" DIM	"D" DIM
1/4" HB OUTLET	0.5"	9RGBR2A*	2.51	0.79	3.10	1.85
	0.75"	9RGFR2A	2.62	0.91	3.25	1.85
	1.0"	9RGLR2A	2.75	1.04	3.35	1.85
	1.5"	9RGSR2A	3.00	1.29	3.35	1.85
	2.0"	9RGZR2A	3.26	1.55	3.25	1.85
	2.5"	9RHJR2A	3.50	1.79	3.25	1.85
	3.0"	9RJDR2A	3.76	2.05	3.25	1.85
	4.0"	9RJTR2A	4.24	2.53	3.25	1.85

	TC RUN	PART #	"A" DIM	"B" DIM	"C" DIM	"D" DIM
3/8" TC OUTLET	0.5"	9RGCT2A	2.51	0.79	3.10	2.75"
	0.75"	9RGGT2A	2.62	0.91	3.25	2.75"
	1.0"	9RGMT2A	2.75	1.04	3.35	2.75"
	1.5"	9RGTT2A	3.00	1.29	3.35	2.75"
	2.0"	9RHAT2A	3.26	1.55	3.25	2.75"
	2.5"	9RHKT2A	3.50	1.79	3.25	2.75"
	3.0"	9RIET2A	3.76	2.05	3.25	2.75"
	4.0"	9RIUT2A	4.24	2.53	3.25	2.75"

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – SUBMERSIBLE HANDLE CONFIGURATION

EXAMPLE: PART# 9RGBR2A* – 1/4" HB OUTLET X 0.5" TRI-CLAMP RUN INLET ZERO STATIC TEE ANGLE BLEED VALVE

9 R G B R 2 A _ _ _ _ _

HANDLE	FINISH	SEAL	ORIENTATION	TIP	HANDLE COLOR
6 = SOLID	LB = 20 RA EP	M = EPDM	0 = N/A	H = PTFE-TFM	R = RED
8 = SNAP	DB = 20 RA	N = VITON®	C = TO CLAMP	T = ELASTOMER	Z = ORANGE
9 = SUBMERSIBLE	MB = 15 RA EP	P = RED SIL	H = TO HANDLE		Y = YELLOW
T = TOGGLE	EB = 15 RA	Q = CLR. SIL.			G = GREEN
S = TOGGLE SAFETY		K = KALTRAZ®			B = BLUE
					W = WHITE
					0 = BLACK

NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – SUBMERSIBLE HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET	KIT	
TEFLON® TIP	TEFLON® TIP —	EPDM O-RING	9R0003M — SET	9R0003M — KIT	
	TEFLON® TIP —	VITON® O-RING	9R0003N — SET	9R0003N — KIT	
	TEFLON® TIP —	RED SIL. O-RING	9R0003P — SET	9R0003P — KIT	
	TEFLON® TIP —	CLR. SIL. O-RING	9R0003Q — SET	9R0003Q — KIT	
	TEFLON® TIP —	KALTRAZ® O-RING	9R0003K — SET	9R0003K — KIT	
ELASTOMER TIP	EPDM TIP —	EPDM O-RING	9R0002M — SET	9R0002M — KIT	
	VITON® TIP —	VITON® O-RING	9R0002N — SET	9R0002N — KIT	
	RED SIL. TIP —	RED SIL. O-RING	9R0002P — SET	9R0002P — KIT	
	CLR SIL. TIP —	CLR. SIL. O-RING	9R0002Q — SET	9R0002Q — KIT	
	KALTRAZ® TIP —	KALTRAZ® O-RING	9R0002K — SET	9R0002K — KIT	

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) STEM O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) STEM O-RINGS, (5) DOWEL PINS

STEM		
TIP	FINISH	
	20 RA	15 RA/EP
TEFLON® TIP	6B000BADB	6B000BAMB
ELASTOMER TIP	6B000TADB	6B000TAMB

NOTES:

- ELASTOMER IS USED AS A REFERENCE FOR MATERIALS LIKE EPDM, VITON®, RED SILICONE, CLEAR SILICONE AND KALTRAZ®

BLEED VALVE SPARE SEALS FOR HANDLE CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR HANDLE		
HANDLE O-RING	PART #	
	SET	KIT
EPDM	9R000QM — SET	9R000QM — KIT
VITON®	9R000QN — SET	9R000QN — KIT
RED SIL.	9R000QP — SET	9R000QP — KIT
CLR SIL.	9R000QQ — SET	9R000QQ — KIT
KALTRAZ®	9R000QK — SET	9R000QK — KIT

NOTES:

- 1 SET CONTAINS = (3) LOCK SCREWS, (1) HANDLE O-RING, (1) ALLEN WRENCH
- 1 KIT CONTAINS = (15) LOCK SCREWS, (5) HANDLE O-RINGS, (1) ALLEN WRENCH

HANDLE	
HANDLE COLOR	PART #
RED	9B000DS — R
ORANGE	9B000DS — Z
YELLOW	9B000DS — Y
GREEN	9B000DS — G
BLUE	9B000DS — B
WHITE	9B000DS — W
BLACK	9B000DG — 0

Teflon® is a registered trademark of DuPont Fluorocarbon Resins. VITON® is a registered trademark of DuPont Performance Elastomers. KALTRAZ® is a registered trademark of Advant O Seal.

LOCK SCREWS	
SCREW O-RING TYPE	PART #
EPDM	9B000HA — M
VITON®	9B000HA — N
RED SIL.	9B000HA — P
CLR SIL.	9B000HA — Q
KALTRAZ®	9B000HA — K

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009



NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY ZERO STATIC TEE INLINE BLEED VALVES – SOLID HANDLE



INLET – AUTOWELD RUN;
OUTLET – HOSE BARB;



INLET – TC RUN;
OUTLET – HOSE BARB;

SANITARY ZERO STATIC TEE INLINE BLEED VALVES – SOLID HANDLE (Ø 0.187" INLET BORE SIZE)

	A/W RUN	PART #	"A1" DIM	"A2" DIM	"C1" DIM
1/4" HB OUTLET	0.5"	6SGBN2A*	3.12"	3.02"	3.85"
	0.75"	6SGFN2A	3.24"	3.14"	4.00"
	1.0"	6SGLN2A	3.37"	3.27"	4.10"
	1.5"	6SGSN2A	3.62"	3.52"	5.30"
	2.0"	6SGZN2A	3.88"	3.78"	7.00"
	2.5"	6SHJN2A	4.12"	4.02"	7.00"
	3.0"	6SJDN2A	4.38"	4.28"	9.00"
	4.0"	6SJTN2A	4.86"	4.76"	11.00"

	TC RUN	PART #	"A1" DIM	"A2" DIM	"C2" DIM
1/4" HB OUTLET	0.5"	6SGBR2A	3.12"	3.02"	3.10"
	0.75"	6SGFR2A	3.24"	3.14"	3.25"
	1.0"	6SGLR2A	3.37"	3.27"	3.35"
	1.5"	6SGSR2A	3.62"	3.52"	3.25"
	2.0"	6SGZR2A	3.88"	3.78"	3.25"
	2.5"	6SHJR2A	4.12"	4.02"	3.25"
	3.0"	6SJDR2A	4.38"	4.28"	3.25"
	4.0"	6SJTR2A	4.86"	4.76"	3.25"

SANITARY ZERO STATIC TEE INLINE BLEED VALVES – SOLID HANDLE CONFIGURATION

EXAMPLE: PART# 6SGBN2A* – 1/4" HB OUTLET X 0.5" AUTOWELD RUN INLET ZERO STATIC TEE INLINE BLEED VALVE

6 S G B N 2 A _ _ _ 0 _ _

HANDLE
6 = SOLID
8 = SNAP

FINISH
LB = 20 RA EP
DB = 20 RA
MB = 15 RA EP
EB = 15 RA

SEAL
M = EPDM
N = VITON®
P = RED SIL
Q = CLR. SIL.
K = KALTRAZ®

ORIENTATION
0 = N/A

TIP
H = PTFE-TFM
T = ELASTOMER

HANDLE COLOR
R = RED
Z = ORANGE
Y = YELLOW
G = GREEN
B = BLUE
W = WHITE
0 = BLACK

NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ZERO STATIC TEE INLINE BLEED VALVES – SOLID HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET	KIT	
TEFLON® TIP	TEFLON® TIP	— EPDM O-RING	6S0003M — SET	6S0003M — KIT	
	TEFLON® TIP	— VITON O-RING	6S0003N — SET	6S0003N — KIT	
	TEFLON® TIP	— RED SIL. O-RING	6S0003P — SET	6S0003P — KIT	
	TEFLON® TIP	— CLR. SIL. O-RING	6S0003Q — SET	6S0003Q — KIT	
	TEFLON® TIP	— KALTRAZ O-RING	6S0003K — SET	6S0003K — KIT	
ELASTOMER TIP	EPDM TIP	— EPDM O-RING	6S0002M — SET	6S0002M — KIT	
	VITON® TIP	— VITON® O-RING	6S0002N — SET	6S0002N — KIT	
	RED SIL. TIP	— RED SIL. O-RING	6S0002P — SET	6S0002P — KIT	
	CLR SIL. TIP	— CLR. SIL. O-RING	6S0002Q — SET	6S0002Q — KIT	
	KALTRAZ® TIP	— KALTRAZ® O-RING	6S0002K — SET	6S0002K — KIT	

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

STEM			
OUTLET	TIP	FINISH	
		20 RA	15 RA/EP
1/4" HB	TEFLON® TIP	6JBMWBADB	6JBMWBAMB
	ELASTOMER TIP	6JBMWTADB	6JBMWTAMB

NOTES:

- ELASTOMER IS USED AS A REFERENCE FOR MATERIALS LIKE EPDM, VITON®, RED SILICONE, CLEAR SILICONE AND KALTRAZ®

HANDLE	
HANDLE COLOR	PART #
RED	6B000DS — R
ORANGE	6B000DS — Z
YELLOW	6B000DS — Y
GREEN	6B000DS — G
BLUE	6B000DS — B
WHITE	6B000DS — W
BLACK	6B000DG — O

LOCK SCREWS	
PART#	6B000HA

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009

NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE



SANITARY ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE (Ø 0.187" INLET BORE SIZE)					
	INLET	PART #	"B" DIM	"C" DIM	"D1" DIM
1/4" HB OUTLET	0.5" & 0.75"	SBGFA2A*	0.63"		1.85"
	1.0" CONC.	SBGLA2A	0.61"		1.85"
	1.0" ECC.	SBGLD2A	0.61"	0.322"	1.85"
	1.5" CONC.	SBGSA2A	0.61"		1.85"
	1.5" ECC.	SBGSD2A	0.61"	0.572"	1.85"
	2.0" CONC.	SBGZA2A	0.61"		2.25"
	2.0" ECC.	SBGZD2A	0.61"	0.822"	1.85"
	2.5" CONC.	SBHJA2A	0.61"		2.50"
	2.5" ECC.	SBHJD2A	0.61"	1.070"	1.85"
	3.0" CONC.	SBJDA2A	0.61"		2.75"
	3.0" ECC.	SBJDD2A	0.61"	1.322"	1.85"
	4.0" CONC.	SBJTA2A	0.61"		3.25"
	4.0" ECC.	SBJTD2A	0.61"	1.804"	1.85"
	INLET	PART #	"B" DIM	"C" DIM	"D2" DIM
1/4" TUBE OUTLET	0.5" & 0.75"	SBGFB2A	0.63"		1.75"
	1.0" CONC.	SBGLB2A	0.61"		2.25"
	1.0" ECC.	SBGLE2A	0.61"	0.322"	1.93"
	1.5" CONC.	SBGSB2A	0.61"		2.25"
	1.5" ECC.	SBGSE2A	0.61"	0.572"	1.93"
	2.0" CONC.	SBGZB2A	0.61"		2.75"
	2.0" ECC.	SBGZE2A	0.61"	0.822"	1.93"
	2.5" CONC.	SBHJB2A	0.61"		3.00"
	2.5" ECC.	SBHJE2A	0.61"	1.070"	1.93"
	3.0" CONC.	SBJDB2A	0.61"		3.25"
	3.0" ECC.	SBJDE2A	0.61"	1.322"	1.93"
	4.0" CONC.	SBJTB2A	0.61"		3.75"
	4.0" ECC.	SBJTE2A	0.61"	1.804"	1.93"
	INLET	PART #	"B" DIM	"C" DIM	"D2" DIM
3/8" TUBE OUTLET	0.5" & 0.75"	SBGGB2A	0.57"		1.75"
	1.0" CONC.	SBGMB2A	0.55"		2.25"
	1.0" ECC.	SBGME2A	0.55"	0.322"	1.93"
	1.5" CONC.	SBGTB2A	0.55"		2.25"
	1.5" ECC.	SBGTE2A	0.55"	0.572"	1.93"
	2.0" CONC.	SBHAB2A	0.55"		2.75"
	2.0" ECC.	SBHAE2A	0.55"	0.822"	1.93"
	2.5" CONC.	SBHKB2A	0.55"		3.00"
	2.5" ECC.	SBHKE2A	0.55"	1.070"	1.93"
	3.0" CONC.	SBJEB2A	0.55"		3.25"
	3.0" ECC.	SBJEE2A	0.55"	1.322"	1.93"
	4.0" CONC.	SBJUB2A	0.55"		3.75"
	4.0" ECC.	SBJUE2A	0.55"	1.804"	1.93"

SANITARY ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE

SANITARY ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE (Ø 0.187" INLET BORE SIZE)					
3/8" TC OUTLET	INLET	PART #	"B" DIM	"C" DIM	"D3" DIM
	0.5" & 0.75"	SBGGC2A	0.57"		1.75"
	1.0" CONC.	SBGMC2A	0.55"		2.25"
	1.0" ECC.	SBGMF2A	0.55"	0.322"	1.93"
	1.5" CONC.	SBGTC2A	0.55"		2.25"
	1.5" ECC.	SBGTF2A	0.55"	0.572"	1.93"
	2.0" CONC.	SBHAC2A	0.55"		2.75"
	2.0" ECC.	SBHAF2A	0.55"	0.822"	1.93"
	2.5" CONC.	SBHKC2A	0.55"		3.00"
	2.5" ECC.	SBHKF2A	0.55"	1.070"	1.93"
	3.0" CONC.	SBJEC2A	0.55"		3.25"
	3.0" ECC.	SBJEF2A	0.55"	1.322"	1.93"
	4.0" CONC.	SBJUC2A	0.55"		3.75"
	4.0" ECC.	SBJUF2A	0.55"	1.804"	1.93"

SANITARY ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE CONFIGURATION

EXAMPLE: PART# **SBGFA2A*** – 1/4" HB OUTLET X 0.5" TC INLET ANGLE BLEED VALVE

S B G F A 2 A _ _ _ _ _

HANDLE	FINISH	SEAL	ORIENTATION	TIP	HANDLE COLOR
6 = SOLID	LB = 20 RA EP	M = EPDM	0 = N/A	H = PTFE-TFM	R = RED
8 = SNAP	DB = 20 RA	N = VITON®	C = TO CLAMP	T = ELASTOMER	Z = ORANGE
9 = SUBMERSIBLE	MB = 15 RA EP	P = RED SIL	H = TO HANDLE		Y = YELLOW
T = TOGGLE	EB = 15 RA	Q = CLR. SIL.			G = GREEN
S = TOGGLE SAFETY		K = KALTRAZ®			B = BLUE
					W = WHITE
					O = BLACK

NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET	KIT	
TEFLON® TIP	TEFLON® TIP	— EPDM O-RING	SB0003M — SET	SB0003M — KIT	
	TEFLON® TIP	— VITON® O-RING	SB0003N — SET	SB0003N — KIT	
	TEFLON® TIP	— RED SIL. O-RING	SB0003P — SET	SB0003P — KIT	
	TEFLON® TIP	— CLR. SIL. O-RING	SB0003Q — SET	SB0003Q — KIT	
	TEFLON® TIP	— KALTRAZ® O-RING	SB0003K — SET	SB0003K — KIT	
ELASTOMER TIP	EPDM TIP	— EPDM O-RING	SB000ZM — SET	SB000ZM — KIT	
	VITON® TIP	— VITON® O-RING	SB000ZN — SET	SB000ZN — KIT	
	RED SIL. TIP	— RED SIL. O-RING	SB000ZP — SET	SB000ZP — KIT	
	CLR SIL. TIP	— CLR. SIL. O-RING	SB000ZQ — SET	SB000ZQ — KIT	
	KALTRAZ® TIP	— KALTRAZ® O-RING	SB000ZK — SET	SB000ZK — KIT	

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

LOCK SCREWS	
PART#	6B000HA

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009


NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION


SANITARY ANGLE BLEED VALVES – TOGGLE HANDLE



INLET – FRAC. TC;
OUTLET – HOSE BARB;



INLET – CONC. TC;
OUTLET – TUBE;



INLET – ECC. TC;
OUTLET – TC;

SANITARY ANGLE BLEED VALVES – TOGGLE HANDLE (Ø 0.187" INLET BORE SIZE)

	INLET	PART #	"B" DIM	"C" DIM	"D1" DIM
1/4" HB OUTLET	0.5" & 0.75"	TBGF2A*	0.63"		1.85"
	1.0" CONC.	TBGLA2A	0.61"		1.85"
	1.0" ECC.	TBGLD2A	0.61"	0.322"	1.85"
	1.5" CONC.	TBGS2A	0.61"		1.85"
	1.5" ECC.	TBGSD2A	0.61"	0.572"	1.85"
	2.0" CONC.	TBGZA2A	0.61"		2.25"
	2.0" ECC.	TBGZD2A	0.61"	0.822"	1.85"
	2.5" CONC.	TBHJA2A	0.61"		2.50"
	2.5" ECC.	TBHJD2A	0.61"	1.070"	1.85"
	3.0" CONC.	TBJDA2A	0.61"		2.75"
	3.0" ECC.	TBJDD2A	0.61"	1.322"	1.85"
	4.0" CONC.	TBJTA2A	0.61"		3.25"
	4.0" ECC.	TBJTD2A	0.61"	1.804"	1.85"

	INLET	PART #	"B" DIM	"C" DIM	"D2" DIM
1/4" TUBE OUTLET	0.5" & 0.75"	TBGF2A	0.63"		1.75"
	1.0" CONC.	TBGL2A	0.61"		2.25"
	1.0" ECC.	TBGL2A	0.61"	0.322"	1.93"
	1.5" CONC.	TBGS2A	0.61"		2.25"
	1.5" ECC.	TBGSE2A	0.61"	0.572"	1.93"
	2.0" CONC.	TBGZB2A	0.61"		2.75"
	2.0" ECC.	TBGZE2A	0.61"	0.822"	1.93"
	2.5" CONC.	TBHJB2A	0.61"		3.00"
	2.5" ECC.	TBHJE2A	0.61"	1.070"	1.93"
	3.0" CONC.	TBJDB2A	0.61"		3.25"
	3.0" ECC.	TBJDE2A	0.61"	1.322"	1.93"
	4.0" CONC.	TBJTB2A	0.61"		3.75"
	4.0" ECC.	TBJTE2A	0.61"	1.804"	1.93"


	INLET	PART #	"B" DIM	"C" DIM	"D2" DIM
3/8" TUBE OUTLET	0.5" & 0.75"	TBGB2A	0.57"		1.75"
	1.0" CONC.	TBGM2A	0.55"		2.25"
	1.0" ECC.	TBGM2A	0.55"	0.322"	1.93"
	1.5" CONC.	TBGT2A	0.55"		2.25"
	1.5" ECC.	TBGTE2A	0.55"	0.572"	1.93"
	2.0" CONC.	TBHAB2A	0.55"		2.75"
	2.0" ECC.	TBHAE2A	0.55"	0.822"	1.93"
	2.5" CONC.	TBHK2A	0.55"		3.00"
	2.5" ECC.	TBHKE2A	0.55"	1.070"	1.93"
	3.0" CONC.	TBJEB2A	0.55"		3.25"
	3.0" ECC.	TBJEE2A	0.55"	1.322"	1.93"
	4.0" CONC.	TBJUB2A	0.55"		3.75"
	4.0" ECC.	TBJUE2A	0.55"	1.804"	1.93"

SANITARY ANGLE BLEED VALVES – TOGGLE HANDLE

SANITARY ANGLE BLEED VALVES – TOGGLE HANDLE (Ø 0.187" INLET BORE SIZE)					
3/8" TC OUTLET	INLET	PART #	"B" DIM	"C" DIM	"D3" DIM
	0.5" & 0.75"	TBGGC2A	0.57"		1.75"
	1.0" CONC.	TBGM C2A	0.55"		2.25"
	1.0" ECC.	TBGMF2A	0.55"	0.322"	1.93"
	1.5" CONC.	TBGT C2A	0.55"		2.25"
	1.5" ECC.	TBGT F2A	0.55"	0.572"	1.93"
	2.0" CONC.	TBHAC2A	0.55"		2.75"
	2.0" ECC.	TBHAF2A	0.55"	0.822"	1.93"
	2.5" CONC.	TBHKC2A	0.55"		3.00"
	2.5" ECC.	TBHKF2A	0.55"	1.070"	1.93"
	3.0" CONC.	TBJEC2A	0.55"		3.25"
	3.0" ECC.	TBJEF2A	0.55"	1.322"	1.93"
	4.0" CONC.	TBJUC2A	0.55"		3.75"
	4.0" ECC.	TBJUF2A	0.55"	1.804"	1.93"

SANITARY ANGLE BLEED VALVES – TOGGLE HANDLE CONFIGURATION

EXAMPLE: PART# **TBGFA2A*** – 1/4" HB OUTLET X 0.5" TC INLET ANGLE BLEED VALVE



NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ANGLE BLEED VALVES – TOGGLE HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET		KIT
TEFLON® TIP	TEFLON® TIP	— EPDM O-RING	TB0003M	— SET	TB0003M — KIT
	TEFLON® TIP	— VITON® O-RING	TB0003N	— SET	TB0003N — KIT
	TEFLON® TIP	— RED SIL. O-RING	TB0003P	— SET	TB0003P — KIT
	TEFLON® TIP	— CLR. SIL. O-RING	TB0003Q	— SET	TB0003Q — KIT
	TEFLON® TIP	— KALTRAZ® O-RING	TB0003K	— SET	TB0003K — KIT
ELASTOMER TIP	EPDM TIP	— EPDM O-RING	TB0002M	— SET	TB0002M — KIT
	VITON® TIP	— VITON® O-RING	TB0002N	— SET	TB0002N — KIT
	RED SIL. TIP	— RED SIL. O-RING	TB0002P	— SET	TB0002P — KIT
	CLR SIL. TIP	— CLR. SIL. O-RING	TB0002Q	— SET	TB0002Q — KIT
	KALTRAZ® TIP	— KALTRAZ® O-RING	TB0002K	— SET	TB0002K — KIT

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

LOCK SCREWS	
PART#	6B000HA

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009


NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION


SANITARY ANGLE BLEED VALVES – SUBMERSIBLE HANDLE



INLET – FRAC. TC;
OUTLET – HOSE BARB;



INLET – CONC. TC;
OUTLET – TUBE;



INLET – ECC. TC;
OUTLET – TC;

SANITARY ANGLE BLEED VALVES – SUBMERSIBLE HANDLE (Ø 0.187" INLET BORE SIZE)						
1/4" HB OUTLET	INLET	PART #	"A" DIM	"B" DIM	"C" DIM	"D1" DIM
	0.5" & 0.75"	9BGFA2A*	2.35"	0.63"		1.85"
	1.0" CONC.	9BGLA2A	2.35"	0.61"		1.85"
	1.0" ECC.	9BGLD2A	2.35"	0.61"	0.322"	1.85"
	1.5" CONC.	9BGSA2A	2.35"	0.61"		1.85"
	1.5" ECC.	9BGSD2A	2.35"	0.61"	0.572"	1.85"
	2.0" CONC.	9BGZA2A	2.35"	0.61"		2.25"
	2.0" ECC.	9BGZD2A	2.35"	0.61"	0.822"	1.85"
	2.5" CONC.	9BHJA2A	2.35"	0.61"		2.50"
	2.5" ECC.	9BHJD2A	2.35"	0.61"	1.070"	1.85"
	3.0" CONC.	9BJDA2A	2.35"	0.61"		2.75"
	3.0" ECC.	9BJDD2A	2.35"	0.61"	1.322"	1.85"
	4.0" CONC.	9BJTA2A	2.35"	0.61"		3.25"
	4.0" ECC.	9BJTD2A	2.35"	0.61"	1.804"	1.85"
1/4" TUBE OUTLET	INLET	PART #	"A" DIM	"B" DIM	"C" DIM	"D2" DIM
	0.5" & 0.75"	9BGFB2A	2.35"	0.63"		1.75"
	1.0" CONC.	9BGLB2A	2.35"	0.61"		2.25"
	1.0" ECC.	9BGLE2A	2.35"	0.61"	0.322"	1.93"
	1.5" CONC.	9BGSB2A	2.35"	0.61"		2.25"
	1.5" ECC.	9BGSE2A	2.35"	0.61"	0.572"	1.93"
	2.0" CONC.	9BGZB2A	2.35"	0.61"		2.75"
	2.0" ECC.	9BGZE2A	2.35"	0.61"	0.822"	1.93"
	2.5" CONC.	9BHJB2A	2.35"	0.61"		3.00"
	2.5" ECC.	9BHJE2A	2.35"	0.61"	1.070"	1.93"
	3.0" CONC.	9BJDB2A	2.35"	0.61"		3.25"
	3.0" ECC.	9BJDE2A	2.35"	0.61"	1.322"	1.93"
	4.0" CONC.	9BJTB2A	2.35"	0.61"		3.75"
	4.0" ECC.	9BJTE2A	2.35"	0.61"	1.804"	1.93"
3/8" TUBE OUTLET	INLET	PART #	"A" DIM	"B" DIM	"C" DIM	"D2" DIM
	0.5" & 0.75"	9BGGB2A	2.35"	0.57"		1.75"
	1.0" CONC.	9BGMB2A	2.35"	0.55"		2.25"
	1.0" ECC.	9BGME2A	2.35"	0.55"	0.322"	1.93"
	1.5" CONC.	9BGTB2A	2.35"	0.55"		2.25"
	1.5" ECC.	9BGTE2A	2.35"	0.55"	0.572"	1.93"
	2.0" CONC.	9BHAB2A	2.35"	0.55"		2.75"
	2.0" ECC.	9BHAE2A	2.35"	0.55"	0.822"	1.93"
	2.5" CONC.	9BHKB2A	2.35"	0.55"		3.00"
	2.5" ECC.	9BHKE2A	2.35"	0.55"	1.070"	1.93"
	3.0" CONC.	9BJEB2A	2.35"	0.55"		3.25"
	3.0" ECC.	9BJEE2A	2.35"	0.55"	1.322"	1.93"
	4.0" CONC.	9BJUB2A	2.35"	0.55"		3.75"
	4.0" ECC.	9BJUE2A	2.35"	0.55"	1.804"	1.93"


SANITARY ANGLE BLEED VALVES – SUBMERSIBLE HANDLE

SANITARY ANGLE BLEED VALVES – SUBMERSIBLE HANDLE (Ø 0.187" INLET BORE SIZE)						
	INLET	PART #	"A" DIM	"B" DIM	"C" DIM	"D3" DIM
3/8" TC OUTLET	0.5" & 0.75"	9BGGC2A	2.35"	0.57"		1.75"
	1.0" CONC.	9BGM2A	2.35"	0.55"		2.25"
	1.0" ECC.	9BGMF2A	2.35"	0.55"	0.322"	1.93"
	1.5" CONC.	9BGT2A	2.35"	0.55"		2.25"
	1.5" ECC.	9BGT2A	2.35"	0.55"	0.572"	1.93"
	2.0" CONC.	9BHAC2A	2.35"	0.55"		2.75"
	2.0" ECC.	9BHAF2A	2.35"	0.55"	0.822"	1.93"
	2.5" CONC.	9BHK2A	2.35"	0.55"		3.00"
	2.5" ECC.	9BHKF2A	2.35"	0.55"	1.070"	1.93"
	3.0" CONC.	9BJEC2A	2.35"	0.55"		3.25"
	3.0" ECC.	9BJEF2A	2.35"	0.55"	1.322"	1.93"
	4.0" CONC.	9BJUC2A	2.35"	0.55"		3.75"
	4.0" ECC.	9BJUF2A	2.35"	0.55"	1.804"	1.93"

SANITARY ANGLE BLEED VALVES – SUBMERSIBLE HANDLE CONFIGURATION

EXAMPLE: PART# **9BGFA2A*** – 1/4" HB OUTLET X 0.5" TC INLET ANGLE BLEED VALVE

9 B G F A 2 A _ _ _ _ _



NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ANGLE BLEED VALVES – SUBMERSIBLE HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET	KIT	
TEFLON® TIP	TEFLON® TIP — EPDM O-RING		9B0003M — SET	9B0003M — KIT	
	TEFLON® TIP — VITON® O-RING		9B0003N — SET	9B0003N — KIT	
	TEFLON® TIP — RED SIL. O-RING		9B0003P — SET	9B0003P — KIT	
	TEFLON® TIP — CLR. SIL. O-RING		9B0003Q — SET	9B0003Q — KIT	
	TEFLON® TIP — KALTRAZ® O-RING		9B0003K — SET	9B0003K — KIT	
ELASTOMER TIP	EPDM TIP — EPDM O-RING		9B0002M — SET	9B0002M — KIT	
	VITON® TIP — VITON® O-RING		9B0002N — SET	9B0002N — KIT	
	RED SIL. TIP — RED SIL. O-RING		9B0002P — SET	9B0002P — KIT	
	CLR SIL. TIP — CLR. SIL. O-RING		9B0002Q — SET	9B0002Q — KIT	
	KALTRAZ® TIP — KALTRAZ® O-RING		9B0002K — SET	9B0002K — KIT	

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) STEM O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) STEM O-RINGS, (5) DOWEL PINS

STEM		
TIP	FINISH	
	20 RA	15 RA/EP
TEFLON® TIP	6B000BADB	6B000BAMB
ELASTOMER TIP	6B000TADB	6B000TAMB

NOTES:

- ELASTOMER IS USED AS A REFERENCE FOR MATERIALS LIKE EPDM, VITON®, RED SILICONE, CLEAR SILICONE AND KALTRAZ®

BLEED VALVE SPARE SEALS FOR HANDLE CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR HANDLE		
HANDLE O-RING	PART #	
	SET	KIT
EPDM	9B000QM — SET	9B000QM — KIT
VITON®	9B000QN — SET	9B000QN — KIT
RED SIL.	9B000QP — SET	9B000QP — KIT
CLR SIL.	9B000QQ — SET	9B000QQ — KIT
KALTRAZ®	9B000QK — SET	9B000QK — KIT

NOTES:

- 1 SET CONTAINS = (3) LOCK SCREWS, (1) HANDLE O-RING, (1) ALLEN WRENCH
- 1 KIT CONTAINS = (15) LOCK SCREWS, (5) HANDLE O-RING, (1) ALLEN WRENCH

HANDLE	
HANDLE COLOR	PART #
RED	9B000DS — R
ORANGE	9B000DS — Z
YELLOW	9B000DS — Y
GREEN	9B000DS — G
BLUE	9B000DS — B
WHITE	9B000DS — W
BLACK	9B000DG — 0

Teflon® is a registered trademark of DuPont Fluorocarbon Resins. VITON® is a registered trademark of DuPont Performance Elastomers. KALTRAZ® is a registered trademark of Advant O Seal.

LOCK SCREWS	
SCREW O-RING TYPE	PART #
EPDM	9B000HA – M
VITON®	9B000HA – N
RED SIL.	9B000HA – P
CLR SIL.	9B000HA – Q
KALTRAZ®	9B000HA – K

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009


NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION


SANITARY ANGLE BLEED VALVES – SOLID HANDLE



INLET – FRAC. TC;
OUTLET – HOSE BARB;



INLET – CONC. TC;
OUTLET – TUBE;



INLET – ECC. TC;
OUTLET – TC;

SANITARY ANGLE BLEED VALVES – SOLID HANDLE (Ø 0.187" INLET BORE SIZE)						
1/4" HB OUTLET	INLET	PART #	"A" DIM	"B" DIM	"C" DIM	"D1" DIM
	0.5" & 0.75"	6BGFA2A*	2.05"	0.63"		1.85"
	1.0" CONC.	6BGLA2A	2.05"	0.61"		1.85"
	1.0" ECC.	6BGLD2A	2.05"	0.61"	0.322"	1.85"
	1.5" CONC.	6BGSA2A	2.05"	0.61"		1.85"
	1.5" ECC.	6BGSD2A	2.05"	0.61"	0.572"	1.85"
	2.0" CONC.	6BGZA2A	2.05"	0.61"		2.25"
	2.0" ECC.	6BGZD2A	2.05"	0.61"	0.822"	1.85"
	2.5" CONC.	6BHJA2A	2.05"	0.61"		2.50"
	2.5" ECC.	6BHJD2A	2.05"	0.61"	1.070"	1.85"
	3.0" CONC.	6BJDA2A	2.05"	0.61"		2.75"
	3.0" ECC.	6BJDD2A	2.05"	0.61"	1.322"	1.85"
1/4" TUBE OUTLET	INLET	PART #	"A" DIM	"B" DIM	"C" DIM	"D2" DIM
	0.5" & 0.75"	6BGFB2A	2.05"	0.63"		1.75"
	1.0" CONC.	6BGLB2A	2.05"	0.61"		2.25"
	1.0" ECC.	6BGLE2A	2.05"	0.61"	0.322"	1.93"
	1.5" CONC.	6BGSB2A	2.05"	0.61"		2.25"
	1.5" ECC.	6BGSE2A	2.05"	0.61"	0.572"	1.93"
	2.0" CONC.	6BGZB2A	2.05"	0.61"		2.75"
	2.0" ECC.	6BGZE2A	2.05"	0.61"	0.822"	1.93"
	2.5" CONC.	6BHJB2A	2.05"	0.61"		3.00"
	2.5" ECC.	6BHJE2A	2.05"	0.61"	1.070"	1.93"
	3.0" CONC.	6BJDB2A	2.05"	0.61"		3.25"
	3.0" ECC.	6BJDE2A	2.05"	0.61"	1.322"	1.93"
3/8" TUBE OUTLET	INLET	PART #	"A" DIM	"B" DIM	"C" DIM	"D2" DIM
	0.5" & 0.75"	6BGGB2A	2.05"	0.57"		1.75"
	1.0" CONC.	6BGMB2A	2.05"	0.55"		2.25"
	1.0" ECC.	6BGME2A	2.05"	0.55"	0.322"	1.93"
	1.5" CONC.	6GBTB2A	2.05"	0.55"		2.25"
	1.5" ECC.	6BGTE2A	2.05"	0.55"	0.572"	1.93"
	2.0" CONC.	6BHAB2A	2.05"	0.55"		2.75"
	2.0" ECC.	6BHAE2A	2.05"	0.55"	0.822"	1.93"
	2.5" CONC.	6BHKB2A	2.05"	0.55"		3.00"
	2.5" ECC.	6BHKE2A	2.05"	0.55"	1.070"	1.93"
	3.0" CONC.	6BJEB2A	2.05"	0.55"		3.25"
	3.0" ECC.	6BJEE2A	2.05"	0.55"	1.322"	1.93"
3/8" TUBE OUTLET	4.0" CONC.	6BJUB2A	2.05"	0.55"		3.75"
	4.0" ECC.	6BJUE2A	2.05"	0.55"	1.804"	1.93"


SANITARY ANGLE BLEED VALVES – SOLID HANDLE

SANITARY ANGLE BLEED VALVES – SOLID HANDLE (Ø 0.187" INLET BORE SIZE)						
	INLET	PART #	"A" DIM	"B" DIM	"C" DIM	"D3" DIM
3/8" TC OUTLET	0.5" & 0.75"	6BGGC2A	2.05"	0.57"		1.75"
	1.0" CONC.	6BGM2A	2.05"	0.55"		2.25"
	1.0" ECC.	6BGMF2A	2.05"	0.55"	0.322"	1.93"
	1.5" CONC.	6BGT2A	2.05"	0.55"		2.25"
	1.5" ECC.	6BGT2A	2.05"	0.55"	0.572"	1.93"
	2.0" CONC.	6BHAC2A	2.05"	0.55"		2.75"
	2.0" ECC.	6BHAF2A	2.05"	0.55"	0.822"	1.93"
	2.5" CONC.	6BHK2A	2.05"	0.55"		3.00"
	2.5" ECC.	6BHKF2A	2.05"	0.55"	1.070"	1.93"
	3.0" CONC.	6BJEC2A	2.05"	0.55"		3.25"
	3.0" ECC.	6BJEF2A	2.05"	0.55"	1.322"	1.93"
	4.0" CONC.	6BJUC2A	2.05"	0.55"		3.75"
	4.0" ECC.	6BJUF2A	2.05"	0.55"	1.804"	1.93"

SANITARY ANGLE BLEED VALVES – SOLID HANDLE CONFIGURATION

EXAMPLE: PART# **6BGFA2A*** – 1/4" HB OUTLET X 0.5" TC INLET ANGLE BLEED VALVE

6 B G F A 2 A _ _ _ _ _



NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.

KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ANGLE BLEED VALVES – SOLID HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL				PART #	
				SET	KIT
TEFLON® TIP	TEFLON® TIP —	EPDM O-RING		6B0003M — SET	6B0003M — KIT
	TEFLON® TIP —	VITON® O-RING		6B0003N — SET	6B0003N — KIT
	TEFLON® TIP —	RED SIL. O-RING		6B0003P — SET	6B0003P — KIT
	TEFLON® TIP —	CLR. SIL. O-RING		6B0003Q — SET	6B0003Q — KIT
	TEFLON® TIP —	KALTRAZ® O-RING		6B0003K — SET	6B0003K — KIT
ELASTOMER TIP	EPDM TIP —	EPDM O-RING		6B0002M — SET	6B0002M — KIT
	VITON® TIP —	VITON® O-RING		6B0002N — SET	6B0002N — KIT
	RED SIL. TIP —	RED SIL. O-RING		6B0002P — SET	6B0002P — KIT
	CLR SIL. TIP —	CLR. SIL. O-RING		6B0002Q — SET	6B0002Q — KIT
	KALTRAZ® TIP —	KALTRAZ® O-RING		6B0002K — SET	6B0002K — KIT

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

STEM		
TIP	FINISH	
	20 RA	15 RA/EP
TEFLON® TIP	6B000BADB	6B000BAMB
ELASTOMER TIP	6B000TADB	6B000TAMB

NOTES:

- ELASTOMER IS USED AS A REFERENCE FOR MATERIALS LIKE EPDM, VITON®, RED SILICONE, CLEAR SILICONE AND KALTRAZ®

HANDLE	
HANDLE COLOR	PART #
RED	6B000DS — R
ORANGE	6B000DS — Z
YELLOW	6B000DS — Y
GREEN	6B000DS — G
BLUE	6B000DS — B
WHITE	6B000DS — W
BLACK	6B000DG — 0

LOCK SCREWS	
PART#	6B000HA

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009

NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY INLINE BLEED VALVES – SOLID HANDLE



SANITARY INLINE BLEED VALVES – SOLID HANDLE (Ø 0.187" INLET BORE SIZE)					
	INLET	PART #	"A1" DIM	"A2" DIM	"C" DIM
1/4" HB OUTLET	0.5" & 0.75"	6JGFA2A*	2.95"	2.85"	
	1.0" CONC.	6JGLA2A	2.95"	2.85"	
	1.0" ECC.	6JGLD2A	2.95"	2.85"	0.322"
	1.5" CONC.	6JGSA2A	2.95"	2.85"	
	1.5" ECC.	6JGSD2A	2.95"	2.85"	0.572"
	2.0" CONC.	6JGZA2A	2.95"	2.85"	
	2.0" ECC.	6JGZD2A	2.95"	2.85"	0.822"
	2.5" CONC.	6JHJA2A	2.95"	2.85"	
	2.5" ECC.	6JHJD2A	2.95"	2.85"	1.070"
	3.0" CONC.	6JJDA2A	2.95"	2.85"	
	3.0" ECC.	6JJDD2A	2.95"	2.85"	1.322"
	4.0" CONC.	6JJTA2A	2.95"	2.85"	
	4.0" ECC.	6JJTD2A	2.95"	2.85"	1.804"

SANITARY INLINE BLEED VALVES – SOLID HANDLE CONFIGURATION

EXAMPLE: PART# 6JGFA2A* – 1/4" HB OUTLET X 0.5" TC INLET INLINE BLEED VALVE

6 J G F A 2 A _ _ _ 0 _ _

HANDLE 6 = SOLID 8 = SNAP	FINISH LB = 20 RA EP DB = 20 RA MB = 15 RA EP EB = 15 RA	SEAL M = EPDM N = VITON® P = RED SIL Q = CLR. SIL. K = KALTRAZ®	ORIENTATION 0 = N/A	TIP H = PTFE-TFM T = ELASTOMER	HANDLE COLOR R = RED Z = ORANGE Y = YELLOW G = GREEN B = BLUE W = WHITE 0 = BLACK
--	---	---	-------------------------------	---	---

NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY INLINE BLEED VALVES – SOLID HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL				PART #	
				SET	KIT
TEFLON® TIP	TEFLON® TIP —	EPDM O-RING		6J0003M — SET	6J0003M — KIT
	TEFLON® TIP —	VITON® O-RING		6J0003N — SET	6J0003N — KIT
	TEFLON® TIP —	RED SIL. O-RING		6J0003P — SET	6J0003P — KIT
	TEFLON® TIP —	CLR. SIL. O-RING		6J0003Q — SET	6J0003Q — KIT
	TEFLON® TIP —	KALTRAZ® O-RING		6J0003K — SET	6J0003K — KIT
ELASTOMER TIP	EPDM TIP —	EPDM O-RING		6J000ZM — SET	6J000ZM — KIT
	VITON® TIP —	VITON® O-RING		6J000ZN — SET	6J000ZN — KIT
	RED SIL. TIP —	RED SIL. O-RING		6J000ZP — SET	6J000ZP — KIT
	CLR SIL. TIP —	CLR. SIL. O-RING		6J000ZQ — SET	6J000ZQ — KIT
	KALTRAZ® TIP —	KALTRAZ® O-RING		6J000ZK — SET	6J000ZK — KIT

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

STEM			
OUTLET	TIP	FINISH	
		20 RA	15 RA/EP
1/4" HB	TEFLON® TIP	6JBMWBADB	6JBMWBAMB
	ELASTOMER TIP	6JBMWTADB	6JBMWTAMB

NOTES:

- ELASTOMER IS USED AS A REFERENCE FOR MATERIALS LIKE EPDM, VITON®, RED SILICONE, CLEAR SILICONE AND KALTRAZ®

HANDLE	
HANDLE COLOR	PART #
RED	6B000DS — R
ORANGE	6B000DS — Z
YELLOW	6B000DS — Y
GREEN	6B000DS — G
BLUE	6B000DS — B
WHITE	6B000DS — W
BLACK	6B000DG — 0

LOCK SCREWS	
PART#	6B000HA

NOTES:

- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009

NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION