




SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE



INLET – AUTOWELDED RUN;
OUTLET – HOSE BARB;




INLET – TC RUN;
OUTLET – TC;

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE (Ø 0.187" INLET BORE SIZE)					
1/4" HB OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	SRGBN2A*	0.79"	3.85"	1.85"
	0.75"	SRGFN2A	0.91"	4.00"	1.85"
	1.0"	SRGLN2A	1.04"	4.10"	1.85"
	1.5"	SRGSN2A	1.29"	5.30"	1.85"
	2.0"	SRGZN2A	1.55"	7.00"	1.85"
	2.5"	SRHJN2A	1.79"	7.00"	1.85"
	3.0"	SRJDN2A	2.05"	9.00"	1.85"
	4.0"	SRJTN2A	2.53"	11.00"	1.85"
1/4" HB OUTLET	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
	0.5"	SRGBR2A	0.79"	3.10"	1.85"
	0.75"	SRGFR2A	0.91"	3.25"	1.85"
	1.0"	SRGLR2A	1.04"	3.35"	1.85"
	1.5"	SRGSR2A	1.29"	3.25"	1.85"
	2.0"	SRGZR2A	1.55"	3.25"	1.85"
	2.5"	SRHJR2A	1.79"	3.25"	1.85"
	3.0"	SRJDR2A	2.05"	3.25"	1.85"
	4.0"	SRJTR2A	2.53"	3.25"	1.85"
3/8" TC OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	SRGCQ2A	0.73"	3.85"	2.75"
	0.75"	SRGGQ2A	0.86"	4.00"	2.75"
	1.0"	SRGMQ2A	0.98"	4.10"	2.75"
	1.5"	SRGTQ2A	1.23"	5.30"	2.75"
	2.0"	SRHAQ2A	1.50"	7.00"	2.75"
	2.5"	SRHKQ2A	1.74"	7.00"	2.75"
	3.0"	SRJEQ2A	2.00"	9.00"	2.75"
	4.0"	SRJUQ2A	2.48"	11.00"	2.75"
3/8" TC OUTLET	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
	0.5"	SRGCT2A	0.73"	3.10"	2.75"
	0.75"	SRGGT2A	0.86"	3.25"	2.75"
	1.0"	SRGMT2A	0.98"	3.35"	2.75"
	1.5"	SRGTT2A	1.23"	3.25"	2.75"
	2.0"	SRHAT2A	1.50"	3.25"	2.75"
	2.5"	SRHKT2A	1.74"	3.25"	2.75"
	3.0"	SRJET2A	2.00"	3.25"	2.75"
	4.0"	SRJUT2A	2.48"	3.25"	2.75"

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE CONFIGURATION

EXAMPLE: PART# **SRGBN2A*** – 1/4" HB **OUTLET** X 0.5" AUTOWELD RUN **INLET** ZERO STATIC TEE ANGLE BLEED VALVE

S R G B N 2 A _ _ _ _ _



NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE SAFETY HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET		KIT
TEFLON® TIP	TEFLON® TIP	— EPDM O-RING	SR0003M	— SET	SR0003M — KIT
	TEFLON® TIP	— VITON® O-RING	SR0003N	— SET	SR0003N — KIT
	TEFLON® TIP	— RED SIL. O-RING	SR0003P	— SET	SR0003P — KIT
	TEFLON® TIP	— CLR. SIL. O-RING	SR0003Q	— SET	SR0003Q — KIT
	TEFLON® TIP	— KALTRAZ® O-RING	SR0003K	— SET	SR0003K — KIT
ELASTOMER TIP	EPDM TIP	— EPDM O-RING	SR000ZM	— SET	SR000ZM — KIT
	VITON® TIP	— VITON® O-RING	SR000ZN	— SET	SR000ZN — KIT
	RED SIL. TIP	— RED SIL. O-RING	SR000ZP	— SET	SR000ZP — KIT
	CLR SIL. TIP	— CLR. SIL. O-RING	SR000ZQ	— SET	SR000ZQ — KIT
	KALTRAZ® TIP	— KALTRAZ® O-RING	SR000ZK	— SET	SR000ZK — KIT

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

LOCK SCREWS	
PART#	6B000HA

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009



NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE HANDLE



INLET – AUTOWELDED RUN;
OUTLET – HOSE BARB;



INLET – TC RUN;
OUTLET – TC;

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE HANDLE (Ø 0.187" INLET BORE SIZE)

	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
1/4" HB OUTLET	0.5"	TRGBN2A*	0.79"	3.85"	1.85"
	0.75"	TRGFN2A	0.91"	4.00"	1.85"
	1.0"	TRGLN2A	1.04"	4.10"	1.85"
	1.5"	TRGSN2A	1.29"	5.30"	1.85"
	2.0"	TRGZN2A	1.55"	7.00"	1.85"
	2.5"	TRHJN2A	1.79"	7.00"	1.85"
	3.0"	TRJDN2A	2.05"	9.00"	1.85"
	4.0"	TRJTN2A	2.53"	11.00"	1.85"

	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
1/4" HB OUTLET	0.5"	TRGBR2A	0.79"	3.10"	1.85"
	0.75"	TRGFR2A	0.91"	3.25"	1.85"
	1.0"	TRGLR2A	1.04"	3.35"	1.85"
	1.5"	TRGTR2A	1.29"	3.25"	1.85"
	2.0"	TRGZR2A	1.55"	3.25"	1.85"
	2.5"	TRHJR2A	1.79"	3.25"	1.85"
	3.0"	TRJDR2A	2.05"	3.25"	1.85"
	4.0"	TRJTR2A	2.53"	3.25"	1.85"

	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
3/8" TC OUTLET	0.5"	TRGCQ2A	0.73"	3.85"	2.75"
	0.75"	TRGGQ2A	0.86"	4.00"	2.75"
	1.0"	TRGMQ2A	0.98"	4.10"	2.75"
	1.5"	TRGTQ2A	1.23"	5.30"	2.75"
	2.0"	TRHAQ2A	1.50"	7.00"	2.75"
	2.5"	TRHKQ2A	1.74"	7.00"	2.75"
	3.0"	TRJEQ2A	2.00"	9.00"	2.75"
	4.0"	TRJUQ2A	2.48"	11.00"	2.75"

	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
3/8" TC OUTLET	0.5"	TRGCT2A	0.73"	3.10"	2.75"
	0.75"	TRGGT2A	0.86"	3.25"	2.75"
	1.0"	TRGMT2A	0.98"	3.35"	2.75"
	1.5"	TRGTT2A	1.23"	3.25"	2.75"
	2.0"	TRHAT2A	1.50"	3.25"	2.75"
	2.5"	TRHKT2A	1.74"	3.25"	2.75"
	3.0"	TRJET2A	2.00"	3.25"	2.75"
	4.0"	TRJUT2A	2.48"	3.25"	2.75"

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES - TOGGLE HANDLE CONFIGURATION

EXAMPLE: PART# **TRGBN2A*** - 1/4" HB **OUTLET** X 0.5" AUTOWELD RUN **INLET** ZERO STATIC TEE ANGLE BLEED VALVE

T R G B N 2 A _ _ _ _ _

HANDLE
6 = SOLID
8 = SNAP
9 = SUBMERSIBLE
T = TOGGLE
S = TOGGLE SAFETY

FINISH
LB = 20 RA EP
DB = 20 RA
MB = 15 RA EP
EB = 15 RA

SEAL
M = EPDM
N = VITON®
P = RED SIL
Q = CLR. SIL.
K = KALTRAZ®

ORIENTATION
0 = N/A
C = TO CLAMP
H = TO HANDLE

TIP
H = PTFE-TFM
T = ELASTOMER

HANDLE COLOR
R = RED 
Z = ORANGE 
Y = YELLOW 
G = GREEN 
B = BLUE 
W = WHITE 
0 = BLACK 

NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – TOGGLE HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET		KIT
TEFLON® TIP	TEFLON® TIP	— EPDM O-RING	TR0003M	— SET	TR0003M — KIT
	TEFLON® TIP	— VITON® O-RING	TR0003N	— SET	TR0003N — KIT
	TEFLON® TIP	— RED SIL. O-RING	TR0003P	— SET	TR0003P — KIT
	TEFLON® TIP	— CLR. SIL. O-RING	TR0003Q	— SET	TR0003Q — KIT
	TEFLON® TIP	— KALTRAZ® O-RING	TR0003K	— SET	TR0003K — KIT
ELASTOMER TIP	EPDM TIP	— EPDM O-RING	TR0002M	— SET	TR0002M — KIT
	VITON® TIP	— VITON® O-RING	TR0002N	— SET	TR0002N — KIT
	RED SIL. TIP	— RED SIL. O-RING	TR0002P	— SET	TR0002P — KIT
	CLR SIL. TIP	— CLR. SIL. O-RING	TR0002Q	— SET	TR0002Q — KIT
	KALTRAZ® TIP	— KALTRAZ® O-RING	TR0002K	— SET	TR0002K — KIT

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

LOCK SCREWS	
PART#	6B000HA

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009



NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – SUBMERSIBLE HANDLE



INLET – TC RUN;
OUTLET – HOSE BARB;



INLET – TC RUN;
OUTLET – TC;

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – SUBMERSIBLE HANDLE (Ø 0.187" INLET BORE SIZE)						
	TC RUN	PART #	"A" DIM	"B" DIM	"C" DIM	"D" DIM
1/4" HB OUTLET	0.5"	9RGBR2A*	2.51	0.79	3.10	1.85
	0.75"	9RGFR2A	2.62	0.91	3.25	1.85
	1.0"	9RGLR2A	2.75	1.04	3.35	1.85
	1.5"	9RGSR2A	3.00	1.29	3.35	1.85
	2.0"	9RGZR2A	3.26	1.55	3.25	1.85
	2.5"	9RHJR2A	3.50	1.79	3.25	1.85
	3.0"	9RJDR2A	3.76	2.05	3.25	1.85
	4.0"	9RJTR2A	4.24	2.53	3.25	1.85

	TC RUN	PART #	"A" DIM	"B" DIM	"C" DIM	"D" DIM
3/8" TC OUTLET	0.5"	9RGCT2A	2.51	0.79	3.10	2.75"
	0.75"	9RGGT2A	2.62	0.91	3.25	2.75"
	1.0"	9RGMT2A	2.75	1.04	3.35	2.75"
	1.5"	9RGTT2A	3.00	1.29	3.35	2.75"
	2.0"	9RHAT2A	3.26	1.55	3.25	2.75"
	2.5"	9RHKT2A	3.50	1.79	3.25	2.75"
	3.0"	9RIET2A	3.76	2.05	3.25	2.75"
	4.0"	9RIUT2A	4.24	2.53	3.25	2.75"

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – SUBMERSIBLE HANDLE CONFIGURATION

EXAMPLE: PART# 9RGBR2A* – 1/4" HB OUTLET X 0.5" TRI-CLAMP RUN INLET ZERO STATIC TEE ANGLE BLEED VALVE

9 R G B R 2 A _ _ _ _ _

HANDLE	FINISH	SEAL	ORIENTATION	TIP	HANDLE COLOR
6 = SOLID	LB = 20 RA EP	M = EPDM	0 = N/A	H = PTFE-TFM	R = RED
8 = SNAP	DB = 20 RA	N = VITON®	C = TO CLAMP	T = ELASTOMER	Z = ORANGE
9 = SUBMERSIBLE	MB = 15 RA EP	P = RED SIL	H = TO HANDLE		Y = YELLOW
T = TOGGLE	EB = 15 RA	Q = CLR. SIL.			G = GREEN
S = TOGGLE SAFETY		K = KALTRAZ®			B = BLUE
					W = WHITE
					0 = BLACK

NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ZERO STATIC TEE ANGLE BLEED VALVES – SUBMERSIBLE HANDLE – SPARES

BLEED VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET	KIT	
TEFLON® TIP	TEFLON® TIP —	EPDM O-RING	9R0003M — SET	9R0003M — KIT	
	TEFLON® TIP —	VITON® O-RING	9R0003N — SET	9R0003N — KIT	
	TEFLON® TIP —	RED SIL. O-RING	9R0003P — SET	9R0003P — KIT	
	TEFLON® TIP —	CLR. SIL. O-RING	9R0003Q — SET	9R0003Q — KIT	
	TEFLON® TIP —	KALTRAZ® O-RING	9R0003K — SET	9R0003K — KIT	
ELASTOMER TIP	EPDM TIP —	EPDM O-RING	9R0002M — SET	9R0002M — KIT	
	VITON® TIP —	VITON® O-RING	9R0002N — SET	9R0002N — KIT	
	RED SIL. TIP —	RED SIL. O-RING	9R0002P — SET	9R0002P — KIT	
	CLR SIL. TIP —	CLR. SIL. O-RING	9R0002Q — SET	9R0002Q — KIT	
	KALTRAZ® TIP —	KALTRAZ® O-RING	9R0002K — SET	9R0002K — KIT	

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) STEM O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) STEM O-RINGS, (5) DOWEL PINS

STEM		
TIP	FINISH	
	20 RA	15 RA/EP
TEFLON® TIP	6B000BADB	6B000BAMB
ELASTOMER TIP	6B000TADB	6B000TAMB

NOTES:

- ELASTOMER IS USED AS A REFERENCE FOR MATERIALS LIKE EPDM, VITON®, RED SILICONE, CLEAR SILICONE AND KALTRAZ®

BLEED VALVE SPARE SEALS FOR HANDLE CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR HANDLE		
HANDLE O-RING	PART #	
	SET	KIT
EPDM	9R000QM — SET	9R000QM — KIT
VITON®	9R000QN — SET	9R000QN — KIT
RED SIL.	9R000QP — SET	9R000QP — KIT
CLR SIL.	9R000QQ — SET	9R000QQ — KIT
KALTRAZ®	9R000QK — SET	9R000QK — KIT

NOTES:

- 1 SET CONTAINS = (3) LOCK SCREWS, (1) HANDLE O-RING, (1) ALLEN WRENCH
- 1 KIT CONTAINS = (15) LOCK SCREWS, (5) HANDLE O-RINGS, (1) ALLEN WRENCH

HANDLE	
HANDLE COLOR	PART #
RED	9B000DS — R
ORANGE	9B000DS — Z
YELLOW	9B000DS — Y
GREEN	9B000DS — G
BLUE	9B000DS — B
WHITE	9B000DS — W
BLACK	9B000DG — 0

Teflon® is a registered trademark of DuPont Fluorocarbon Resins. VITON® is a registered trademark of DuPont Performance Elastomers. KALTRAZ® is a registered trademark of Advant O Seal.

LOCK SCREWS	
SCREW O-RING TYPE	PART #
EPDM	9B000HA – M
VITON®	9B000HA – N
RED SIL.	9B000HA – P
CLR SIL.	9B000HA – Q
KALTRAZ®	9B000HA – K

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009



NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – SUBMERSIBLE HANDLE



INLET – TC RUN;
OUTLET – HOSE BARB;



INLET – TC RUN;
OUTLET – TC;

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – SUBMERSIBLE HANDLE (Ø 0.370" INLET BORE SIZE)						
3/8" HB OUTLET	TC RUN	PART #	"A" DIM	"B" DIM	"C" DIM	"D" DIM
	0.5"	9EGCR2A*	2.74"	1.00"	3.12"	1.94"
	0.75"	9EGGR2A	2.87"	1.12"	3.26"	1.94"
	1.0"	9EGMR2A	2.99"	1.25"	3.25"	1.94"
	1.5"	9EGTR2A	3.24"	1.51"	3.45"	1.94"
	2.0"	9EHAR2A	3.49"	1.75"	3.45"	1.94"
	2.5"	9EHR2A	3.74"	2.00"	3.45"	1.94"
	3.0"	9EJR2A	3.99"	2.25"	3.45"	1.94"
3/8" TUBE OUTLET	TC RUN	PART #	"A" DIM	"B" DIM	"C" DIM	"D" DIM
	0.5"	9EGCS2A	2.74"	1.00"	3.12"	2.75"
	0.75"	9EGGS2A	2.87"	1.12"	3.26"	2.75"
	1.0"	9EGMS2A	2.99"	1.25"	3.25"	2.75"
	1.5"	9EGTS2A	3.24"	1.51"	3.45"	2.75"
	2.0"	9EHAS2A	3.49"	1.75"	3.45"	2.75"
	2.5"	9EHS2A	3.74"	2.00"	3.45"	2.75"
	3.0"	9EJS2A	3.99"	2.25"	3.45"	2.75"
1/2" HB OUTLET	TC RUN	PART #	"A" DIM	"B" DIM	"C" DIM	"D" DIM
	0.5"	9EBUR2A	2.74"	0.98"	3.12"	1.94"
	0.75"	9EGHR2A	2.87"	1.10"	3.26"	1.94"
	1.0"	9EGNR2A	2.99"	1.23"	3.25"	1.94"
	1.5"	9EGUR2A	3.24"	1.49"	3.45"	1.94"
	2.0"	9EHBR2A	3.49"	1.73"	3.45"	1.94"
	2.5"	9EHLR2A	3.74"	1.98"	3.45"	1.94"
	3.0"	9EJFR2A	3.99"	2.23"	3.45"	1.94"
1/2" TUBE OUTLET	TC RUN	PART #	"A" DIM	"B" DIM	"C" DIM	"D" DIM
	0.5"	9EBUS2A	2.74"	0.97"	3.12"	2.75"
	0.75"	9EGHS2A	2.87"	1.09"	3.26"	2.75"
	1.0"	9EGNS2A	2.99"	1.22"	3.25"	2.75"
	1.5"	9EGUS2A	3.24"	1.48"	3.45"	2.75"
	2.0"	9EHBS2A	3.49"	1.72"	3.45"	2.75"
	2.5"	9EHL2A	3.74"	1.97"	3.45"	2.75"
	3.0"	9EJFS2A	3.99"	2.22"	3.45"	2.75"


SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – SUBMERSIBLE HANDLE

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – SUBMERSIBLE HANDLE (Ø 0.370" INLET BORE SIZE)						
	TC RUN	PART #	"A" DIM	"B" DIM	"C" DIM	"D" DIM
1/2" TC OUTLET	0.5"	9EBUT2A	2.74"	0.97"	3.12"	2.75"
	0.75"	9EGHT2A	2.87"	1.09"	3.26"	2.75"
	1.0"	9EGNT2A	2.99"	1.22"	3.25"	2.75"
	1.5"	9EGUT2A	3.24"	1.48"	3.45"	2.75"
	2.0"	9EHBT2A	3.49"	1.72"	3.45"	2.75"
	2.5"	9EHLT2A	3.74"	1.97"	3.45"	2.75"
	3.0"	9EJFT2A	3.99"	2.22"	3.45"	2.75"
	4.0"	9EJVT2A	4.46"	2.69"	3.45"	2.75"

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – SUBMERSIBLE HANDLE CONFIGURATION

EXAMPLE: PART# **9EGCR2A*** – 3/8" HB OUTLET X 0.5" TRICLAMP RUN INLET ZERO STATIC TEE ANGLE SAMPLE VALVE

9 E G C R 2 A _ _ _ _ _



NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – SUBMERSIBLE HANDLE – SPARES

SAMPLE VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET	KIT	
TEFLON® TIP	TEFLON® TIP —	EPDM O-RING	9E0003M — SET	9E0003M — KIT	
	TEFLON® TIP —	VITON® O-RING	9E0003N — SET	9E0003N — KIT	
	TEFLON® TIP —	RED SIL. O-RING	9E0003P — SET	9E0003P — KIT	
	TEFLON® TIP —	CLR. SIL. O-RING	9E0003Q — SET	9E0003Q — KIT	
	TEFLON® TIP —	KALTRAZ® O-RING	9E0003K — SET	9E0003K — KIT	
ELASTOMER TIP	EPDM TIP —	EPDM O-RING	9E0002M — SET	9E0002M — KIT	
	VITON® TIP —	VITON® O-RING	9E0002N — SET	9E0002N — KIT	
	RED SIL. TIP —	RED SIL. O-RING	9E0002P — SET	9E0002P — KIT	
	CLR SIL. TIP —	CLR. SIL. O-RING	9E0002Q — SET	9E0002Q — KIT	
	KALTRAZ® TIP —	KALTRAZ® O-RING	9E0002K — SET	9E0002K — KIT	

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) STEM O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) STEM O-RINGS, (5) DOWEL PINS

STEM		
TIP	FINISH	
	20 RA	15 RA/EP
TEFLON® TIP	6C000BADB	6C000BAMB
ELASTOMER TIP	6C000TADB	6C000TAMB

NOTES:

- ELASTOMER IS USED AS A REFERENCE FOR MATERIALS LIKE EPDM, VITON®, RED SILICONE, CLEAR SILICONE AND KALTRAZ®

SAMPLE VALVE SPARE SEALS FOR HANDLE CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR HANDLE		
HANDLE O-RING	PART #	
	SET	KIT
EPDM	9E000QM — SET	9E000QM — KIT
VITON®	9E000QN — SET	9E000QN — KIT
RED SIL.	9E000QP — SET	9E000QP — KIT
CLR SIL.	9E000QQ — SET	9E000QQ — KIT
KALTRAZ®	9E000QK — SET	9E000QK — KIT

NOTES:

- 1 SET CONTAINS = (3) LOCK SCREWS, (1) HANDLE O-RING, (1) ALLEN WRENCH
- 1 KIT CONTAINS = (15) LOCK SCREWS, (5) HANDLE O-RING, (1) ALLEN WRENCH

HANDLE	
HANDLE COLOR	PART #
RED	9C000DS — R
ORANGE	9C000DS — Z
YELLOW	9C000DS — Y
GREEN	9C000DS — G
BLUE	9C000DS — B
WHITE	9C000DS — W
BLACK	9C000DG — 0

LOCK SCREWS	
SCREW O-RING TYPE	PART #
EPDM	9C000HA — M
VITON®	9C000HA — N
RED SIL.	9C000HA — P
CLR SIL.	9C000HA — Q
KALTRAZ®	9C000HA — K

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009

NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES - TOGGLE HANDLE



SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES - TOGGLE HANDLE (Ø 0.370" INLET BORE SIZE)					
3/8" HB OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	TEGCR2A*	1.00"	3.87"	1.94"
	0.75"	TEGGR2A	1.12"	4.00"	1.94"
	1.0"	TEGMR2A	1.25"	4.00"	1.94"
	1.5"	TEGTR2A	1.51"	5.00"	1.94"
	2.0"	TEHAR2A	1.75"	7.20"	1.94"
	2.5"	TEHKN2A	2.00"	7.20"	1.94"
	3.0"	TEJER2A	2.25"	9.20"	1.94"
3/8" HB OUTLET	4.0"	TEJUN2A	2.72"	11.20"	1.94"
3/8" HB OUTLET	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
	0.5"	TEGCR2A	1.00"	3.12"	1.94"
	0.75"	TEGGR2A	1.12"	3.26"	1.94"
	1.0"	TEGMR2A	1.25"	3.25"	1.94"
	1.5"	TEGTR2A	1.51"	3.45"	1.94"
	2.0"	TEHAR2A	1.75"	3.45"	1.94"
	2.5"	TEHKN2A	2.00"	3.45"	1.94"
	3.0"	TEJER2A	2.25"	3.45"	1.94"
1/2" HB OUTLET	4.0"	TEJUR2A	2.72"	3.45"	1.94"
1/2" HB OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	TEBUN2A	0.98"	3.87"	1.94"
	0.75"	TEGHN2A	1.10"	4.00"	1.94"
	1.0"	TEGNN2A	1.23"	4.00"	1.94"
	1.5"	TEGUN2A	1.49"	5.00"	1.94"
	2.0"	TEHBN2A	1.73"	7.20"	1.94"
	2.5"	TEHLN2A	1.98"	7.20"	1.94"
	3.0"	TEJFN2A	2.23"	9.20"	1.94"
1/2" HB OUTLET	4.0"	TEJVN2A	2.70"	11.20"	1.94"
1/2" HB OUTLET	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
	0.5"	TEBUR2A	0.98"	3.12"	1.94"
	0.75"	TEGHR2A	1.10"	3.26"	1.94"
	1.0"	TEGNN2A	1.23"	3.25"	1.94"
	1.5"	TEGUR2A	1.49"	3.45"	1.94"
	2.0"	TEHBR2A	1.73"	3.45"	1.94"
	2.5"	TEHLR2A	1.98"	3.45"	1.94"
	3.0"	TEJFR2A	2.23"	3.45"	1.94"
1/2" HB OUTLET	4.0"	TEJVR2A	2.70"	3.45"	1.94"

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE HANDLE

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE HANDLE (Ø 0.370" INLET BORE SIZE)					
3/8" TUBE OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	TEGCP2A	1.00"	3.87"	2.75"
	0.75"	TEGGP2A	1.12"	4.00"	2.75"
	1.0"	TEGMP2A	1.25"	4.00"	2.75"
	1.5"	TEGTP2A	1.51"	5.00"	2.75"
	2.0"	TEHAP2A	1.75"	7.20"	2.75"
	2.5"	TEHKP2A	2.00"	7.20"	2.75"
	3.0"	TEJEP2A	2.25"	9.20"	2.75"
	4.0"	TEJUP2A	2.72"	11.20"	2.75"
3/8" TUBE OUTLET	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
	0.5"	TEGCS2A	1.00"	3.12"	2.75"
	0.75"	TEGGS2A	1.12"	3.26"	2.75"
	1.0"	TEGMS2A	1.25"	3.25"	2.75"
	1.5"	TEGTS2A	1.51"	3.45"	2.75"
	2.0"	TEHAS2A	1.75"	3.45"	2.75"
	2.5"	TEHKS2A	2.00"	3.45"	2.75"
	3.0"	TEJES2A	2.25"	3.45"	2.75"
	4.0"	TEJUS2A	2.72"	3.45"	2.75"
1/2" TUBE OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	TEBUP2A	0.97"	3.87"	2.75"
	0.75"	TEGHP2A	1.09"	4.00"	2.75"
	1.0"	TEGNP2A	1.22"	4.00"	2.75"
	1.5"	TEGUP2A	1.48"	5.00"	2.75"
	2.0"	TEHBP2A	1.72"	7.20"	2.75"
	2.5"	TEHLP2A	1.97"	7.20"	2.75"
	3.0"	TEJFP2A	2.22"	9.20"	2.75"
	4.0"	TEJVP2A	2.69"	11.20"	2.75"
1/2" TUBE OUTLET	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
	0.5"	TEBUS2A	0.97"	3.12"	2.75"
	0.75"	TEGHS2A	1.09"	3.26"	2.75"
	1.0"	TEGNS2A	1.22"	3.25"	2.75"
	1.5"	TEGUS2A	1.48"	3.45"	2.75"
	2.0"	TEHBS2A	1.72"	3.45"	2.75"
	2.5"	TEHLS2A	1.97"	3.45"	2.75"
	3.0"	TEJFS2A	2.22"	3.45"	2.75"
	4.0"	TEJVS2A	2.69"	3.45"	2.75"
1/2" TC OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	TEBUQ2A	0.97"	3.87"	2.75"
	0.75"	TEGHQ2A	1.09"	4.00"	2.75"
	1.0"	TEGNQ2A	1.22"	4.00"	2.75"
	1.5"	TEGUQ2A	1.48"	5.00"	2.75"
	2.0"	TEHBQ2A	1.72"	7.20"	2.75"
	2.5"	TEHLQ2A	1.97"	7.20"	2.75"
	3.0"	TEJFQ2A	2.22"	9.20"	2.75"
	4.0"	TEJVQ2A	2.69"	11.20"	2.75"

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE HANDLE

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE HANDLE (Ø 0.370" INLET BORE SIZE)					
	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
1/2" TC OUTLET	0.5"	TEBUT2A	0.97"	3.12"	2.75"
	0.75"	TEGHT2A	1.09"	3.26"	2.75"
	1.0"	TEGNT2A	1.22"	3.25"	2.75"
	1.5"	TEGUT2A	1.48"	3.45"	2.75"
	2.0"	TEHBT2A	1.72"	3.45"	2.75"
	2.5"	TEHLT2A	1.97"	3.45"	2.75"
	3.0"	TEJFT2A	2.22"	3.45"	2.75"
	4.0"	TEJVT2A	2.69"	3.45"	2.75"

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE HANDLE CONFIGURATION

EXAMPLE: PART# **TEGCN2A*** – 3/8" HB OUTLET X 0.5" AUTOWELD RUN INLET ZERO STATIC TEE ANGLE SAMPLE VALVE

TEGCN2A _ _ _ _ _

HANDLE
6 = SOLID
9 = SUBMERSIBLE
T = TOGGLE
S = TOGGLE SAFETY

FINISH
LB = 20 RA EP
DB = 20 RA
MB = 15 RA EP
EB = 15 RA

SEAL
M = EPDM
N = VITON®
P = RED SIL
Q = CLR. SIL
K = KALTRAZ®

ORIENTATION
0 = N/A
C = TO CLAMP
H = TO HANDLE

TIP
H = PTFE-TFM
T = ELASTOMER

HANDLE COLOR
R = RED
Z = ORANGE
Y = YELLOW
G = GREEN
B = BLUE
W = WHITE
0 = BLACK

NOTE:

Custom end connections available on request. Please contact a sales representative.

VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE HANDLE – SPARES

SAMPLE VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET	KIT	
TEFLON® TIP	TEFLON® TIP	— EPDM O-RING	TE0003M — SET	TE0003M — KIT	
	TEFLON® TIP	— VITON® O-RING	TE0003N — SET	TE0003N — KIT	
	TEFLON® TIP	— RED SIL. O-RING	TE0003P — SET	TE0003P — KIT	
	TEFLON® TIP	— CLR. SIL. O-RING	TE0003Q — SET	TE0003Q — KIT	
	TEFLON® TIP	— KALTRAZ® O-RING	TE0003K — SET	TE0003K — KIT	
ELASTOMER TIP	EPDM TIP	— EPDM O-RING	TE0002M — SET	TE0002M — KIT	
	VITON® TIP	— VITON® O-RING	TE0002N — SET	TE0002N — KIT	
	RED SIL. TIP	— RED SIL. O-RING	TE0002P — SET	TE0002P — KIT	
	CLR SIL. TIP	— CLR. SIL. O-RING	TE0002Q — SET	TE0002Q — KIT	
	KALTRAZ® TIP	— KALTRAZ® O-RING	TE0002K — SET	TE0002K — KIT	

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

LOCK SCREWS	
PART#	6B000HA

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009

NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES - TOGGLE SAFETY HANDLE



SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES - TOGGLE SAFETY HANDLE (Ø 0.370" INLET BORE SIZE)

3/8" HB OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	SEGCN2A*	1.00"	3.87"	1.94"
	0.75"	SEGGN2A	1.12"	4.00"	1.94"
	1.0"	SEGMN2A	1.25"	4.00"	1.94"
	1.5"	SEGTN2A	1.51"	5.00"	1.94"
	2.0"	SEHAN2A	1.75"	7.20"	1.94"
	2.5"	SEHKN2A	2.00"	7.20"	1.94"
	3.0"	SEJEN2A	2.25"	9.20"	1.94"
	4.0"	SEJUN2A	2.72"	11.20"	1.94"

3/8" HB OUTLET	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
	0.5"	SEGCR2A	1.00"	3.12"	1.94"
	0.75"	SEGGR2A	1.12"	3.26"	1.94"
	1.0"	SEGMR2A	1.25"	3.25"	1.94"
	1.5"	SEGTR2A	1.51"	3.45"	1.94"
	2.0"	SEHAR2A	1.75"	3.45"	1.94"
	2.5"	SEHKR2A	2.00"	3.45"	1.94"
	3.0"	SEJER2A	2.25"	3.45"	1.94"
	4.0"	SEJUR2A	2.72"	3.45"	1.94"

1/2" HB OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	SEBUN2A	0.98"	3.87"	1.94"
	0.75"	SEGHN2A	1.10"	4.00"	1.94"
	1.0"	SEGNN2A	1.23"	4.00"	1.94"
	1.5"	SEGUN2A	1.49"	5.00"	1.94"
	2.0"	SEHBN2A	1.73"	7.20"	1.94"
	2.5"	SEHLN2A	1.98"	7.20"	1.94"
	3.0"	SEJFN2A	2.23"	9.20"	1.94"
	4.0"	SEJVN2A	2.70"	11.20"	1.94"

1/2" HB OUTLET	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
	0.5"	SEBUR2A	0.98"	3.12"	1.94"
	0.75"	SEGHR2A	1.10"	3.26"	1.94"
	1.0"	SEGNR2A	1.23"	3.25"	1.94"
	1.5"	SEGUR2A	1.49"	3.45"	1.94"
	2.0"	SEHBR2A	1.73"	3.45"	1.94"
	2.5"	SEHLR2A	1.98"	3.45"	1.94"
	3.0"	SEJFR2A	2.23"	3.45"	1.94"
	4.0"	SEJVR2A	2.70"	3.45"	1.94"

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE SAFETY HANDLE


SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE SAFETY HANDLE (Ø 0.370" INLET BORE SIZE)					
3/8" TUBE OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	SEGCP2A	1.00"	3.87"	2.75"
	0.75"	SEGGP2A	1.12"	4.00"	2.75"
	1.0"	SEGMP2A	1.25"	4.00"	2.75"
	1.5"	SEGTP2A	1.51"	5.00"	2.75"
	2.0"	SEHAP2A	1.75"	7.20"	2.75"
	2.5"	SEHKP2A	2.00"	7.20"	2.75"
	3.0"	SEJEP2A	2.25"	9.20"	2.75"
	4.0"	SEJUP2A	2.72"	11.20"	2.75"
3/8" TUBE OUTLET	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
	0.5"	SEGCS2A	1.00"	3.12"	2.75"
	0.75"	SEGG2A	1.12"	3.26"	2.75"
	1.0"	SEGMS2A	1.25"	3.25"	2.75"
	1.5"	SEGTS2A	1.51"	3.45"	2.75"
	2.0"	SEHAS2A	1.75"	3.45"	2.75"
	2.5"	SEHKS2A	2.00"	3.45"	2.75"
	3.0"	SEJES2A	2.25"	3.45"	2.75"
	4.0"	SEJUS2A	2.72"	3.45"	2.75"
1/2" TUBE OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	SEBUP2A	0.97"	3.87"	2.75"
	0.75"	SEGHP2A	1.09"	4.00"	2.75"
	1.0"	SEGNP2A	1.22"	4.00"	2.75"
	1.5"	SEGUP2A	1.48"	5.00"	2.75"
	2.0"	SEHBP2A	1.72"	7.20"	2.75"
	2.5"	SEHLP2A	1.97"	7.20"	2.75"
	3.0"	SEJFP2A	2.22"	9.20"	2.75"
	4.0"	SEJVP2A	2.69"	11.20"	2.75"
1/2" TUBE OUTLET	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
	0.5"	SEBUS2A	0.97"	3.12"	2.75"
	0.75"	SEGHS2A	1.09"	3.26"	2.75"
	1.0"	SEGNS2A	1.22"	3.25"	2.75"
	1.5"	SEGUS2A	1.48"	3.45"	2.75"
	2.0"	SEHBS2A	1.72"	3.45"	2.75"
	2.5"	SEHLS2A	1.97"	3.45"	2.75"
	3.0"	SEJFS2A	2.22"	3.45"	2.75"
	4.0"	SEJVS2A	2.69"	3.45"	2.75"
1/2" TC OUTLET	A/W RUN	PART #	"B" DIM	"C1" DIM	"D" DIM
	0.5"	SEBUQ2A	0.97"	3.87"	2.75"
	0.75"	SEGHQ2A	1.09"	4.00"	2.75"
	1.0"	SEGNQ2A	1.22"	4.00"	2.75"
	1.5"	SEGUQ2A	1.48"	5.00"	2.75"
	2.0"	SEHBQ2A	1.72"	7.20"	2.75"
	2.5"	SEHLQ2A	1.97"	7.20"	2.75"
	3.0"	SEJFQ2A	2.22"	9.20"	2.75"
	4.0"	SEJVQ2A	2.69"	11.20"	2.75"

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE SAFETY HANDLE

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE SAFETY HANDLE (Ø 0.370" INLET BORE SIZE)					
	TC RUN	PART #	"B" DIM	"C2" DIM	"D" DIM
1/2" TC OUTLET	0.5"	SEBUT2A	0.97"	3.12"	2.75"
	0.75"	SEGHT2A	1.09"	3.26"	2.75"
	1.0"	SEGNT2A	1.22"	3.25"	2.75"
	1.5"	SEGUT2A	1.48"	3.45"	2.75"
	2.0"	SEHBT2A	1.72"	3.45"	2.75"
	2.5"	SEHLT2A	1.97"	3.45"	2.75"
	3.0"	SEJFT2A	2.22"	3.45"	2.75"
	4.0"	SEJVT2A	2.69"	3.45"	2.75"

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE SAFETY HANDLE CONFIGURATION

EXAMPLE: PART# **SEGCN2A*** – 3/8" HB OUTLET X 0.5" AUTOWELDED RUN INLET ZERO STATIC TEE ANGLE SAMPLE VALVE



SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – TOGGLE SAFETY HANDLE – SPARES

SAMPLE VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL			PART #		
			SET		KIT
TEFLON® TIP	TEFLON® TIP	— EPDM O-RING	SE0003M	— SET	SE0003M — KIT
	TEFLON® TIP	— VITON® O-RING	SE0003N	— SET	SE0003N — KIT
	TEFLON® TIP	— RED SIL. O-RING	SE0003P	— SET	SE0003P — KIT
	TEFLON® TIP	— CLR. SIL. O-RING	SE0003Q	— SET	SE0003Q — KIT
	TEFLON® TIP	— KALTRAZ® O-RING	SE0003K	— SET	SE0003K — KIT
ELASTOMER TIP	EPDM TIP	— EPDM O-RING	SE0002M	— SET	SE0002M — KIT
	VITON® TIP	— VITON® O-RING	SE0002N	— SET	SE0002N — KIT
	RED SIL. TIP	— RED SIL. O-RING	SE0002P	— SET	SE0002P — KIT
	CLR SIL. TIP	— CLR. SIL. O-RING	SE0002Q	— SET	SE0002Q — KIT
	KALTRAZ® TIP	— KALTRAZ® O-RING	SE0002K	— SET	SE0002K — KIT

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

LOCK SCREWS	
PART#	6B000HA

NOTES:


- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009



NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVE – SOLID HANDLE



INLET – AUTOWELD RUN;
OUTLET – HOSE BARB;



INLET – TC RUN;
OUTLET – TC;

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVE – SOLID HANDLE (Ø 0.370" INLET BORE SIZE)						
3/8" HB OUTLET	A/W RUN	PART #	"A" DIM	"B" DIM	"C1" DIM	"D" DIM
	0.5"	6EGCN2A*	2.54"	1.00"	3.87"	1.94"
	0.75"	6EGGN2A	2.66"	1.12"	4.00"	1.94"
	1.0"	6EGMN2A	2.79"	1.25"	4.00"	1.94"
	1.5"	6EGTN2A	3.04"	1.51"	5.00"	1.94"
	2.0"	6EHAN2A	3.29"	1.75"	7.20"	1.94"
	2.5"	6EHKN2A	3.54"	2.00"	7.20"	1.94"
	3.0"	6EJEN2A	3.79"	2.25"	9.20"	1.94"
	4.0"	6EJUN2A	4.26"	2.72"	11.20"	1.94"
3/8" HB OUTLET	TC RUN	PART #	"A" DIM	"B" DIM	"C2" DIM	"D" DIM
	0.5"	6EGCR2A	2.54"	1.00"	3.12"	1.94"
	0.75"	6EGGR2A	2.66"	1.12"	3.26"	1.94"
	1.0"	6EGMR2A	2.79"	1.25"	3.25"	1.94"
	1.5"	6EGTR2A	3.04"	1.51"	3.45"	1.94"
	2.0"	6EHAR2A	3.29"	1.75"	3.45"	1.94"
	2.5"	6EHKR2A	3.54"	2.00"	3.45"	1.94"
	3.0"	6EJER2A	3.79"	2.25"	3.45"	1.94"
	4.0"	6EJUR2A	4.26"	2.72"	3.45"	1.94"
3/8" TUBE OUTLET	A/W RUN	PART #	"A" DIM	"B" DIM	"C1" DIM	"D" DIM
	0.5"	6EGCP2A	2.54"	1.00"	3.87"	2.75"
	0.75"	6EGGP2A	2.66"	1.12"	4.00"	2.75"
	1.0"	6EGMP2A	2.79"	1.25"	4.00"	2.75"
	1.5"	6EGTP2A	3.04"	1.51"	5.00"	2.75"
	2.0"	6EHAP2A	3.29"	1.75"	7.20"	2.75"
	2.5"	6EHKP2A	3.54"	2.00"	7.20"	2.75"
	3.0"	6EJEP2A	3.79"	2.25"	9.20"	2.75"
	4.0"	6EJUP2A	4.26"	2.72"	11.20"	2.75"
3/8" TUBE OUTLET	TC RUN	PART #	"A" DIM	"B" DIM	"C2" DIM	"D" DIM
	0.5"	6EGCS2A	2.54"	1.00"	3.12"	2.75"
	0.75"	6EGGS2A	2.66"	1.12"	3.26"	2.75"
	1.0"	6EGMS2A	2.79"	1.25"	3.25"	2.75"
	1.5"	6EGTS2A	3.04"	1.51"	3.45"	2.75"
	2.0"	6EHAS2A	3.29"	1.75"	3.45"	2.75"
	2.5"	6EHKS2A	3.54"	2.00"	3.45"	2.75"
	3.0"	6EJES2A	3.79"	2.25"	3.45"	2.75"
	4.0"	6EJUS2A	4.26"	2.72"	3.45"	2.75"

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVE – SOLID HANDLE

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVE – SOLID HANDLE (Ø 0.370" INLET BORE SIZE)						
1/2" HB OUTLET	A/W RUN	PART #	"A" DIM	"B" DIM	"C1" DIM	"D" DIM
	0.5"	6EBUN2A	2.54"	0.98"	3.87"	1.94"
	0.75"	6EGHN2A	2.66"	1.10"	4.00"	1.94"
	1.0"	6EGNN2A	2.79"	1.23"	4.00"	1.94"
	1.5"	6EGUN2A	3.04"	1.49"	5.00"	1.94"
	2.0"	6EHBN2A	3.29"	1.73"	7.20"	1.94"
	2.5"	6EHLN2A	3.54"	1.98"	7.20"	1.94"
	3.0"	6EJFN2A	3.79"	2.23"	9.20"	1.94"
	4.0"	6EJVN2A	4.26"	2.70"	11.20"	1.94"
1/2" TUBE OUTLET	TC RUN	PART #	"A" DIM	"B" DIM	"C2" DIM	"D" DIM
	0.5"	6EBUS2A	2.54"	0.97"	3.12"	2.75"
	0.75"	6EGHS2A	2.66"	1.09"	3.26"	2.75"
	1.0"	6EGNS2A	2.79"	1.22"	3.25"	2.75"
	1.5"	6EGUS2A	3.04"	1.48"	3.45"	2.75"
	2.0"	6EHBS2A	3.29"	1.72"	3.45"	2.75"
	2.5"	6EHLS2A	3.54"	1.97"	3.45"	2.75"
	3.0"	6EJFS2A	3.79"	2.22"	3.45"	2.75"
	4.0"	6EJVS2A	4.26"	2.69"	3.45"	2.75"
1/2" TUBE OUTLET	A/W RUN	PART #	"A" DIM	"B" DIM	"C1" DIM	"D" DIM
	0.5"	6EBUP2A	2.54"	0.97"	3.87"	2.75"
	0.75"	6EGHP2A	2.66"	1.09"	4.00"	2.75"
	1.0"	6EGNP2A	2.79"	1.22"	4.00"	2.75"
	1.5"	6EGUP2A	3.04"	1.48"	5.00"	2.75"
	2.0"	6EHBP2A	3.29"	1.72"	7.20"	2.75"
	2.5"	6EHL2A	3.54"	1.97"	7.20"	2.75"
	3.0"	6EJFP2A	3.79"	2.22"	9.20"	2.75"
	4.0"	6EJVP2A	4.26"	2.69"	11.20"	2.75"
1/2" HB OUTLET	TC RUN	PART #	"A" DIM	"B" DIM	"C2" DIM	"D" DIM
	0.5"	6EBUR2A	2.54"	0.98"	3.12"	1.94"
	0.75"	6EGHR2A	2.66"	1.10"	3.26"	1.94"
	1.0"	6EGNR2A	2.79"	1.23"	3.25"	1.94"
	1.5"	6EGUR2A	3.04"	1.49"	3.45"	1.94"
	2.0"	6EHBR2A	3.29"	1.73"	3.45"	1.94"
	2.5"	6EHLR2A	3.54"	1.98"	3.45"	1.94"
	3.0"	6EJFR2A	3.79"	2.23"	3.45"	1.94"
	4.0"	6EJVR2A	4.26"	2.70"	3.45"	1.94"
1/2" TC OUTLET	AW RUN	PART #	"A" DIM	"B" DIM	"C1" DIM	"D" DIM
	0.5"	6EBUQ2A	2.54"	0.97"	3.87"	2.75"
	0.75"	6EGHQ2A	2.66"	1.09"	4.00"	2.75"
	1.0"	6EGNQ2A	2.79"	1.22"	4.00"	2.75"
	1.5"	6EGUQ2A	3.04"	1.48"	5.00"	2.75"
	2.0"	6EHBQ2A	3.29"	1.72"	7.20"	2.75"
	2.5"	6EHLQ2A	3.54"	1.97"	7.20"	2.75"
	3.0"	6EJFQ2A	3.79"	2.22"	9.20"	2.75"
	4.0"	6EJVQ2A	4.26"	2.69"	11.20"	2.75"


SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVE – SOLID HANDLE

SAMPLE VALVE-ZERO STATIC TEE ANGLE-SOLID HANDLE (Ø 0.370" INLET BORE SIZE)						
	TC RUN	PART #	"A" DIM	"B" DIM	"C2" DIM	"D" DIM
1/2" TC OUTLET	0.5"	6EBUT2A	2.54"	0.97"	3.12"	2.75"
	0.75"	6EGHT2A	2.66"	1.09"	3.26"	2.75"
	1.0"	6EGNT2A	2.79"	1.22"	3.25"	2.75"
	1.5"	6EGUT2A	3.04"	1.48"	3.45"	2.75"
	2.0"	6EHT2A	3.29"	1.72"	3.45"	2.75"
	2.5"	6EHLT2A	3.54"	1.97"	3.45"	2.75"
	3.0"	6EJFT2A	3.79"	2.22"	3.45"	2.75"
	4.0"	6EJVT2A	4.26"	2.69"	3.45"	2.75"

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVE – SOLID HANDLE CONFIGURATION

EXAMPLE: PART# **6EGCN2A*** – 3/8" HB OUTLET X 0.5" AUTOWELDED RUN INLET ZERO STATIC TEE ANGLE SAMPLE VALVE

6 E G C N 2 A _ _ _ _ _



VITON® is a registered trademark of DuPont Performance Elastomers.
KALTRAZ® is a registered trademark of Advant O Seal.

SANITARY ZERO STATIC TEE ANGLE SAMPLE VALVES – SOLID HANDLE – SPARES

SAMPLE VALVE SPARE SEALS FOR STEM CAN BE ORDERED IN TWO PACKAGING TYPES DEPENDING ON INVENTORY REQUIREMENTS TO SUIT CUSTOMER NEEDS.

SEALS FOR STEM					
SEAL MATERIAL				PART #	
				SET	KIT
TEFLON® TIP	TEFLON® TIP —	EPDM O-RING		6E0003M — SET	6E0003M — KIT
	TEFLON® TIP —	VITON® O-RING		6E0003N — SET	6E0003N — KIT
	TEFLON® TIP —	RED SIL. O-RING		6E0003P — SET	6E0003P — KIT
	TEFLON® TIP —	CLR. SIL. O-RING		6E0003Q — SET	6E0003Q — KIT
	TEFLON® TIP —	KALTRAZ® O-RING		6E0003K — SET	6E0003K — KIT
ELASTOMER TIP	EPDM TIP —	EPDM O-RING		6E0002M — SET	6E0002M — KIT
	VITON® TIP —	VITON® O-RING		6E0002N — SET	6E0002N — KIT
	RED SIL. TIP —	RED SIL. O-RING		6E0002P — SET	6E0002P — KIT
	CLR SIL. TIP —	CLR. SIL. O-RING		6E0002Q — SET	6E0002Q — KIT
	KALTRAZ® TIP —	KALTRAZ® O-RING		6E0002K — SET	6E0002K — KIT

NOTES:

- 1 SET CONTAINS = (1) TIP, (1) O-RING, (1) DOWEL PIN
- 1 KIT CONTAINS = (5) TIPS, (5) O-RINGS, (5) DOWEL PINS

STEM		
TIP	FINISH	
	20 RA	15 RA/EP
TEFLON® TIP	6C000BADB	6C000BAMB
ELASTOMER TIP	6C000TADB	6C000TAMB

NOTES:

- ELASTOMER IS USED AS A REFERENCE FOR MATERIALS LIKE EPDM, VITON®, RED SILICONE, CLEAR SILICONE AND KALTRAZ®

HANDLE	
HANDLE COLOR	PART #
RED	6C000DS — R
ORANGE	6C000DS — Z
YELLOW	6C000DS — Y
GREEN	6C000DS — G
BLUE	6C000DS — B
WHITE	6C000DS — W
BLACK	6C000DG — 0

LOCK SCREWS	
PART#	6B000HA

NOTES:

- 1 UNIT = (3) LOCK SCREWS + (1) ALLEN WRENCH

O-RING LUBE	
PART#	6Z0009

NOTES:

- PLEASE REFER TO FLT O-RING LUBE DATA SHEET FOR SPECIFICATION

Teflon® is a registered trademark of DuPont Fluorocarbon Resins. VITON® is a registered trademark of DuPont Performance Elastomers. KALTRAZ® is a registered trademark of Advant O Seal.